	Application No.	Applicant(s)
Notice of Alleman 114.	10/606,756	OTA ET AL.
Notice of Allowability	Examiner	Art Unit
	Bernard E Souw	2881
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment/Remarks 06/07/2004</u> .		
2. The allowed claim(s) is/are <u>1-14</u> .		
3. The drawings filed on 27 June 2003 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
IdentifyIng indicla such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachm nt(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☐ Examiner's Amendr	ė .
of Biological Material	9.	

Application/Control Number: 10/606,756 Page 2

Art Unit: 2881

DETAILED ACTION

Amendments

1. The Amendment filed on 06/07/2004 has been entered.

The specification has been amended.

New claim 14 has been added.

Pending in this office action are claims 1-14.

The present Office Action is made with all the suggested amendments being fully considered.

§ 112 Rejection Withdrawn

2. Claim 6 having been properly amended, the previous rejection under 35 USC § 112 is now withdrawn.

Objection to the Specification Withdrawn

3. The objected parts of the specification having been properly amended, the previous objections are now withdrawn.

Response to Applicant's Arguments

4. Applicant's arguments filed 06/07/2004 have been fully considered and also found persuasive. The application is now allowed.

ALLOWANCE

5. Claims 1-14 are allowed.

Reasons for Allowance

Page 3

6. Claims 6, 10 and 14 are allowed for the invention of a laser emission device

based on laser diode array that is known to have strongly different solid angles of

emission, i.e., the fast axis and the slow axis, said laser emission device using

laminated optical waveguides that simultaneously match the different cone angles of

emission along the fast and slow axes by putting the waveguide plates at an interval

that accommodates the slow axis emission angle, while accommodating the fast axis

emission angle with the refractive curvature of the input surface of the planar

waveguides, so as to achieve at the output or emission surface of the laminated

waveguide array a laser beam array having a low and more uniform divergence that is

efficiently passed through a optical fiber bundle for convenient and much less

problematic transfer to the end receiver or other optical device(s).

Claim 7 is allowed for reciting the limitations for the individual optical waveguide

laminate to be used in claims 6, 10 and 14.

Claims 1-5, 8, 9, and 11-13 are allowed for their dependency, either directly or

indirectly, to claims 6, 7, 10 or 14.

7. Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

ż

Application/Control Number: 10/606,756

Art Unit: 2881

. . }

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Page 4

Statement of Reasons for Allowance."

Communications

8. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Bernard E. Souw whose telephone number is 571 272

2482. The examiner can normally be reached on Monday thru Friday, 9:00 am to 5:00

pm..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, John R. Lee can be reached on 571 272 2477. The central fax phone

number for the organization where this application or proceeding is assigned is (703)

872-9306 for regular communications as well as for After Final communications.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is 703 308

0956.

bes

June 25, 2004

SUPERIOR OF CENTER 2800